

OAKLEAF HD PLUS LAMINATE FLOORING VOC DECLARATION E1

Preference Floors declare that the information provided by our manufacturing partner indicates that the raw materials along with any bonding compounds used in the manufacturing process of **OAKLEAF HD PLUS** laminate flooring **falls within the E1 level. E1 is considered suitable for indoor use. Oakleaf HD PLUS also achieved GREENGUARD GOLD** certification VOC emissions standards for indoor air quality.

GREENGUARD Certified ul 2818-2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings. Compliance Certificate, 108959-420 03/09/2018-03/09/2021.

CERTIFICATE OF COMPLIANCE

UL GREENGUARD Certified Products Listing

Product Name	Certification	Status	Certificate Number	Certification Period	Restrictions
1.0mm-6.0mm Vinyl Floors	GREENGUARD Gold Certified	Certified	103185-420	01/08/2018-01/08/2021	
3.2mm-8.0mm Diamond Floor (Rigid Board) without Underlay	GREENGUARD Gold Certified	Certified	103190-420	01/08/2018-01/08/2021	
4.2mm-10mm Diamond Floor (Rigid Board) with Underlay (EVA, IXPE, Cork)	GREENGUARD Gold Certified	Certified	103191-420	01/08/2018-01/08/2021	
5.0mm-8.0mm Engineered Vinyl Plank without Underlay	GREENGUARD Gold Certified	Certified	103204-420	01/08/2018-01/08/2021	
6.0mm-10.0mm Engineered Vinyl Plank with Underlay (EVA, IXPE, Cork)	GREENGUARD Gold Certified	Certified	103206-420	01/08/2018-01/08/2021	
8mm Laminate (GGG)	GREENGUARD Gold Certified	Certified	108958-420	03/09/2018-03/09/2021	
12mm Laminate (GGG)	GREENGUARD Gold Certified	Certified	108959-420	03/09/2018-03/09/2021	
12mm Laminate (GGG)	GREENGUARD Gold Certified	Certified	108960-420	03/09/2018-03/09/2021	
15mm Laminate (GGG)	GREENGUARD Gold Certified	Certified	108961-420	03/09/2018-03/09/2021	

Please refer to current certificates on ul.com/spg for complete compliance information.



UL investigated representative samples of the identified Product(s) to the identified Standard(s) or other requirements in accordance with the agreements and any applicable program service terms in place between UL and the Certificate Holder (collectively "Agreement"). The Certificate Holder is authorized to use the UL Mark for the identified Product(s) manufactured at the production site(s) covered by the UL Test Report, in accordance with the terms of the Agreement. This Certificate is valid for the identified dates unless there is non-compliance with the Agreement.

www.preferencefloors.com.au

Adelaide (SA)
 ABN 63 600 454 215
 47 Research Rd,
 Pooraka SA 5095

Brisbane (QLD)
 ABN 81 169 158 990
 6/268 Evans Rd,
 Salisbury QLD 4107

Melbourne (VIC)
 ABN 34 151 422 927
 27-29 Zilla Court,
 Dandenong South VIC 3175

Perth (WA)
 ABN 25 625 850 455
 3/403 Victoria Rd,
 Malaga WA 6090

Sydney (NSW)
 ABN 40 117 801 037
 32 Britton St,
 Smithfield NSW 2164

t +61 8 8262 2774
 sa@preferencefloors.com.au

t +61 7 3875 1688
 qld@preferencefloors.com.au

t +61 3 9794 5111
 vic@preferencefloors.com.au

t +61 8 9471 7785
 wa@preferencefloors.com.au

t +61 2 9738 1188
 sales@preferencefloors.com.au



Test Report

No. CANMLC2023012501

Date: 08 Jan 2021

Page 2 of 3

Test Results :

Test Part Description :

Specimen No.	SGS Sample ID	Description
SN1	CAN20-230125.001	Brown wooden board

Remarks :

- (1) 1 mg/kg = 1 ppm = 0.0001%
- (2) MDL = Method Detection Limit
- (3) ND = Not Detected (< MDL)
- (4) "-" = Not Regulated

Formaldehyde

Test Method : With reference to AS/NZS 4266.1: 2017 Section 17 , analysis was performed by UV-VIS.

<u>Test Item(s)</u>	<u>Unit</u>	<u>MDL</u>	<u>001</u>
Formaldehyde Emission Content	mg/L	0.10	0.26

Notes :

Reference Information:

1. AS/NZS 1859.1:2017 for Particleboard:
 - Grade SE0: Formaldehyde emission \leq 0.3mg/L
 - Grade E0: Formaldehyde emission \leq 0.5mg/L
 - Grade E1: Formaldehyde emission \leq 1.5mg/L
2. AS/NZS 1859.2:2017 for Dry-processed fibreboard:
 - Grade SE0: Formaldehyde emission \leq 0.3mg/L
 - Grade E0: Formaldehyde emission \leq 0.5mg/L
 - Grade E1: Formaldehyde emission \leq 1.0mg/L

Adelaide (SA)

ABN 63 600 454 215
47 Research Rd,
Pooraka SA 5095

t +61 8 8262 2774
sa@preferencefloors.com.au

Brisbane (QLD)

ABN 81 169 158 990
6/268 Evans Rd,
Salisbury QLD 4107

t +61 7 3875 1688
qld@preferencefloors.com.au

Melbourne (VIC)

ABN 34 151 422 927
27-29 Zilla Court,
Dandenong South VIC 3175

t +61 3 9794 5111
vic@preferencefloors.com.au

Perth (WA)

ABN 25 625 850 455
3/403 Victoria Rd,
Malaga WA 6090

t +61 8 9471 7785
wa@preferencefloors.com.au

Sydney (NSW)

ABN 40 117 801 037
32 Britton St,
Smithfield NSW 2164

t +61 2 9738 1188
sales@preferencefloors.com.au



Test Report

No. CANMLC2023012501

Date: 08 Jan 2021

Page 3 of 3

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

www.preferencefloors.com.au

Adelaide (SA)

ABN 63 600 454 215
47 Research Rd,
Pooraka SA 5095

t +61 8 8262 2774
sa@preferencefloors.com.au

Brisbane (QLD)

ABN 81 169 158 990
6/268 Evans Rd,
Salisbury QLD 4107

t +61 7 3875 1688
qld@preferencefloors.com.au

Melbourne (VIC)

ABN 34 151 422 927
27-29 Zilla Court,
Dandenong South VIC 3175

t +61 3 9794 5111
vic@preferencefloors.com.au

Perth (WA)

ABN 25 625 850 455
3/403 Victoria Rd,
Malaga WA 6090

t +61 8 9471 7785
wa@preferencefloors.com.au

Sydney (NSW)

ABN 40 117 801 037
32 Britton St,
Smithfield NSW 2164

t +61 2 9738 1188
sales@preferencefloors.com.au